

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 1 of 14

Test Report

欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Name) : METAL FILM RESISTOR (金屬膜電阻器)

樣品型號(Style/Item No.) : MF/MFH/FMF TYPE

收件日(Sample Receiving Date) : 23-Oct-2020

測試期間(Testing Period) : 23-Oct-2020 to 30-Oct-2020

測試需求(Test Requested) : 依據客戶要求進行測試,測試項目請參閱測試結果表格。(Testing item(s)

is/are specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

Troy Chang Manager Te h SGS
Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 9654F6AA



Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 2 of 14

欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

測試部位敘述 (Test Part Description)

No.1 : 整體混測 (MIXED ALL PARTS)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	華血 (Unit)	IVIDE	(Result)
(Test items)	(Wethou)	(OIIII)		No.1
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9)	参考IEC 62321-5: 2013・以感應耦合電漿發射光 - ※ (4.7) だ。 (A.6) は ないましま (5.23231 5)	mg/kg	2	n.d.
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-97-6)	參考IEC 62321-4: 2013+ AMD1: 2017‧以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) (CAS No.: 18540-29-9)	參考IEC 62321-7-2: 2017·以紫外光-可見光分光 光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)	參考IEC 62321-6: 2015,以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 3 of 14

欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)
				No.1
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)	参考IEC 62321-6: 2015·以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl	參考IEC 62321-8: 2017,以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (BBP)) (CAS No.: 85-68-7)	析。(With reference to IEC 62321-8: 2017,			
	analysis was performed by GC/MS.)			
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (DBP)) (CAS No.: 84-74-2)	析。(With reference to IEC 62321-8: 2017,			
	analysis was performed by GC/MS.)			
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分	mg/kg	50	n.d.
(2-ethylhexyl) phthalate (DEHP)) (CAS	析。(With reference to IEC 62321-8: 2017,			
No.: 117-81-7)	analysis was performed by GC/MS.)			
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl	參考IEC 62321-8: 2017,以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (DIBP)) (CAS No.: 84-69-5)	析。(With reference to IEC 62321-8: 2017,			
	analysis was performed by GC/MS.)			
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl	參考IEC 62321-8: 2017,以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (DIDP)) (CAS No.: 26761-40-	析。(With reference to IEC 62321-8: 2017,			
0, 68515-49-1)	analysis was performed by GC/MS.)			
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl	參考IEC 62321-8: 2017,以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (DINP)) (CAS No.: 28553-12-	析。(With reference to IEC 62321-8: 2017,			
0, 68515-48-0)	analysis was performed by GC/MS.)			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 4 of 14

欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)	參考IEC 62321-8: 2017·以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
六溴環十二烷及所有主要被辨別出的異構物 (HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008·以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)	參考BS EN 14582: 2016 · 以離子層析儀分析。 (With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)	參考BS EN 14582: 2016,以離子層析儀分析。 (With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)	參考BS EN 14582: 2016,以離子層析儀分析。 (With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.
碘 (I) (lodine (I)) (CAS No.: 14362-44-8)	參考BS EN 14582: 2016,以離子層析儀分析。 (With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 5 of 14

欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-	參考US EPA 3052: 1996,以感應耦合電漿發射光	mg/kg	2	88.2
36-0)	譜儀分析。(With reference to US EPA 3052:			
	1996, analysis was performed by ICP-OES.)			
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-	參考US EPA 3052: 1996,以感應耦合電漿發射光	mg/kg	2	n.d.
41-7)	譜儀分析。(With reference to US EPA 3052:			
	1996, analysis was performed by ICP-OES.)			
鄰苯二甲酸二正己酯 (Di-n-hexyl	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate) (CAS No.: 84-75-3)	析。(With reference to IEC 62321-8: 2017,			
	analysis was performed by GC/MS.)			
中鏈氯化石蠟(C14-C17) (MCCP) (Medium	參考IEC 62321-6: 2015·以氣相層析儀/質譜儀分	mg/kg	100	n.d.
Chain Chlorinated Paraffins(C14-C17)	析。(With reference to IEC 62321-6: 2015,			
(MCCP)) (CAS No.: 85535-85-9)	analysis was performed by GC/MS.)			

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 全氟辛烷磺酸及其鹽類包含 (PFOS and its salts including):

CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.

- 6. 全氟辛酸及其鹽類包含 (PFOA and its salts including):
 - CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.
- 7. 樣品的測試是基於申請人要求混合測試‧報告中的混合測試結果不代表其中個別單一材質的含量。
 The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.
- 8. 本報告為 ETR20A04009 之異動報告。(This is the additional test report of ETR20A04009.)



Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 6 of 14

欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)


台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)





Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 7 of 14


欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 8 of 14

欣統股份有限公司 (SYNTON-TECH CORPORATION)


東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】





Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 9 of 14


欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD





Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 10 of 14


欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

鹵素分析流程圖 / Analytical flow chart - Halogen





Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 11 of 14


欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS





Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 12 of 14

欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)


廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【参考方法/Reference method: US EPA 3051、US EPA 3052】



* US EPA 3051 方法未添加氫氟酸 / US EPA 3051 method does not add HF.



Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 13 of 14

欣統股份有限公司 (SYNTON-TECH CORPORATION)

東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)


台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT





Test Report

號碼(No.): ETR20A04009M01 日期(Date): 11-Jan-2021 頁數(Page): 14 of 14

欣統股份有限公司 (SYNTON-TECH CORPORATION)


東莞市欣杭電子有限公司 (SYNTRONIC CORPORATION)

台灣省新北市汐止區新台五路一段79號16樓之3 (16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU ROAD, HSI-CHIH DIST., NEW TAIPEI CITY, TAIWAN.)

廣東省東莞市大朗鎮富民中路613號1棟5樓 (5F, BUILDING 1, NO. 613, FU MIN ZHONG ROAD, DA LANG, DONG GUAN, GUANG DONG)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR20A04009



** 報告結尾 (End of Report) **