



SYNTECH CORPORATION

RADIAL LEADED FIXED INDUCTORS

File No. : PK0810K150UL

Version : A

Page : 1/3

Date : 2021.01.01

1. EXPLANATIONS OF ORDERING CODE

DESCRIPTION : PK 0810 10% 15UH UL 4A

SYNTECH CODE : PK 0810 K 150 - UL - 4A

<u>TYPE</u>	<u>STYLE</u>	<u>TOLERANCE</u>	<u>INDUCTANCE</u>	<u>SLEEVE</u>	<u>CURRENT</u>
RADIAL LEADED FIXED INDUCTORS (PK TYPE)	0810	K : ±10%	3 Digits : 150 :15UH	UL BLACK UL	4A

APPROVED	CHECKED	DESIGNED	REMARK	DOCUMENT NO.
Carol	May	Chen		0201010540



SYNTECH CORPORATION

RADIAL LEADED FIXED INDUCTORS


File No. : PK0810K150UL

Version : A

Page : 2/3

Date : 2021.01.01

2. DIMENSIONS



Unit: m/m

TYPE	A	B	C	E
PK0810K150-UL-4A	10 Max.	14 Max.	13.0±3.0	0.65 ±0.10

Figure1



SYNTECH CORPORATION

RADIAL LEADED FIXED INDUCTORS

File No. : PK0810K150UL

Version : A

Page : 3/3

Date : 2021.01.01

3. ELECTRICAL CHARACTERISTICS

➤ Specifications

Inductance	15UH \pm 10%
Test Frequency	@1KHz 0.25V
R. Current	4A
Operating Temp.	-30 TO +105°C

➤ Test equipment: CH1062A / CH1320